

product solution

Grünig G-DRY 571 Vertical Drying Cabinet

The G-DRY 571 is a vertical screen drying cabinet that ensures a rapid and space-saving drying of screens. The drying cabinet offers flexible adaption to various on-site situations.

FEATURES

- Maximum screen format 94" x 118" (2400 x 3000 mm)
- Simple operation
- Excellent handling for loading and unloading
- Compact size
- Transparent bi-parting swing doors for visual monitoring

PRODUCT OPTIONS

Version 1

Standard version with bi-parting door in front

Version 2

Version with bi-parting doors on both sides, to allow either front or rear side operation for optimal convenience

Option 1

Energy-saving construction thanks to additional insulation

Option S1

Vertical reception designed for 10 screens with a maximum frame profile thickness of 55 mm

Option S2

Height partition on the left side for 2 x 5 screens (condition = S1); due to the cross-member, the useful loading height is reduced by 100 mm

Option S3



product solution

Grünig G-DRY 571 Vertical Drying Cabinet

Height partition on the right side for 2 x 5 screens (condition = S1); due to the cross-member, the useful loading height is reduced by 100 mm

Option SW

This option allows operating the drying cabinet by means of screen carriages instead of the fixed screen supports

Option SW1

Screen cart designed for taking up to 14 screens with a maximum frame profile height of 45 mm; due to the screen cart, the useful loading height of the dryer cabinet is reduced by 200 mm

Option V

Exhaust air hookup for connecting the dryer cabinet with a customer-installed ventilation system

Option Z

Additional heater unit for enhancing the heating capacity

product solution

Grünig G-DRY 571 Vertical Drying Cabinet


PRODUCT IMAGES



Front Bi-Parting Doors (Version 1)



Support for Screen Carts (Option SW)



Standard Fixed Screen Supports