

## MODEL MG-500C

## Long-awaited sub micron indicator is a standard feature.



## Major characteristics

\*It is important to arrange conditions and work-environment when you measure soft materials like films, papers and cloths.

\*The design of the 500B has been improved over time and with experience. Features such as the shape of the measurement table and head, measurement power (g) and pressure(kg/mm<sup>2</sup>), settlement of constant impulse and stable load, make it easy for you to arrange conditions and work-environment.

\*This cutting-edge digital thickness gauge is based on JIS (Japanese Industrial Standards).

\*Saves time and labor. When connected to a printer, it can provide various data operations, statistics and a permanent record. What's more, we equipped this model with an automatic zero-reset function.

**PROTEC CO., LTD.** OHTAKU KUGAHARA 1-2-14 TOKYO 146-0085 JAPAN TEL 03-5748-3323/FAX 03-5748-3324 http://www.protec.jp E-mail:info@protec.jp

## Main specification

0.1 <b>µ</b> m
223.8g (at standard)
5.5 gf/mm <sup>2</sup>
±0.001mm 20°C
Flat head (diameter 7.2mm)
600 x 320 (mm) *
Diameter 60mm/ceramic made
Eight digit display / LED green indicator
Thermal line printer
Thermal printer roll : 58mm (W),48m roll
3kg/cm <sup>2</sup> or over is recommended
Input AC 100V~ 240V : 50/60Hz
Approximately 45kg

\* Larger size/800 x 695(mm) is available if required.

\* Specifications and design details may be subject to change. C-No.E100909M

for more infomation:

Manufacturer: