

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **Chroma/Fill**
Product Description • Red or blue colored liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Screen filler

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

- 1-800-424-9300 - Within USA and Canada
- +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Eye Irritation 2 - H319

DSD/DPD • R36

2.2 Label Elements

CLP

WARNING



- H319 - Causes serious eye irritation.

Precautionary statements

Prevention • P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases • R36 - Irritating to eyes.

Safety phrases • S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

2.3 Other Hazards

CLP • No data available.

DSD/DPD • No data available.

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS • Eye Irritation 2A - H319

2.2 Label elements

UN GHS

WARNING



• H319 - Causes serious eye irritation.

Precautionary statements

Prevention • P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS • Irritant

2.2 Label elements

OSHA HCS • Irritant

2.3 Other hazards

OSHA HCS • No data available.

Canada
According to WHMIS

2.1 Classification of the substance or mixture

WHMIS • Other Toxic Effects - D2B

2.2 Label elements

WHMIS




• Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

• No data available.

2.4 Other information



Key to abbreviations

= See Section 16 for full text of R and S phrases.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Isopropyl alcohol	CAS:67-63-0 EC Number:200-661-7 UN:UN1219 EINECS:200-661-7	7%	Inhalation-Rat LC50 · 16000 ppm 8 Hour(s) Skin-Rabbit LD50 · 12800 mg/kg Ingestion/Oral-Rat LD50 · 5000 mg/kg	OSHA:Flam. Liq.; Irrit. WHMIS:Flam. Liq. - B2; Other Toxic Effects - D2B UN GHS:Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3: Narc. EU DSD/DPD:Highly Flammable(F); Irritant(Xi); R11; R36; R67 EU CLP:Flam. Liq. 2; Eye Irrit. 2; STOT SE 3: Narc.	

Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call 911 or emergency medical service.

Skin

- IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

- Eye** • IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion** • If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician • No data available.

Antidotes • No data available.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.
LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media • No data available.

Firefighting Procedures • Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Keep unauthorized personnel away.
Ventilate closed spaces before entering.
LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Hazardous Combustion Products • Products of combustion include: carbon oxides (CO_x).

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • Do not touch or walk through spilled material. Ventilate enclosed areas.

Emergency Procedures • No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

- LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Use appropriate Personal Protective Equipment (PPE).
Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal

Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store away from extreme heat. Do not freeze. Keep container closed when not in use.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines • No data available.

Exposure Limits/Guidelines						
	Result	ACGIH	Argentina	Australia	Belgium	Brazil
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL [CMP-CPT]	500 ppm STEL; 1230 mg/m3 STEL	400 ppm STEL; 1000 mg/m3 STEL	Not established
	TWAs	200 ppm TWA	400 ppm TWA [CMP]	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA; 500 mg/m3 TWA	310 ppm TWA LT; 765 mg/m3 TWA LT
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Alberta	Canada British Columbia	Canada Manitoba	Canada New Brunswick	Canada Northwest Territories
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL; 984 mg/m3 STEL	400 ppm STEL	400 ppm STEL	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1228 mg/m3 STEL
	TWAs	200 ppm TWA; 492 mg/m3 TWA	200 ppm TWA	200 ppm TWA	400 ppm TWA; 983 mg/m3 TWA	400 ppm TWA; 983 mg/m3 TWA
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Nova Scotia	Canada Nunavut	Canada Ontario	Canada Quebec	Canada Saskatchewan
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL; 1228 mg/m3 STEL	400 ppm STEL	500 ppm STEV; 1230 mg/m3 STEV	400 ppm STEL
	TWAs	200 ppm TWA	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA	400 ppm TWAEV; 985 mg/m3 TWAEV	200 ppm TWA
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Yukon	Chile	China	Denmark	Egypt
Isopropyl alcohol (67-63-0)	STELs	500 ppm STEL; 1225 mg/m3 STEL	500 ppm STEL LPT; 1230 mg/m3 STEL LPT	700 mg/m3 STEL	Not established	500 ppm STEL; 1230 mg/m3 STEL
	TWAs	400 ppm TWA; 980 mg/m3 TWA	320 ppm TWA LPP; 786 mg/m3 TWA LPP	350 mg/m3 TWA	200 ppm TWA; 490 mg/m3 TWA	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Finland	France	Germany DFG	Hong Kong	Indonesia
Isopropyl alcohol (67-63-0)	STELs	250 ppm STEL; 620 mg/m3 STEL	400 ppm STEL [VLCT]; 980 mg/m3 STEL [VLCT]	Not established	500 ppm STEL; 1230 mg/m3 STEL	Not established
	TWAs	200 ppm TWA; 500 mg/m3 TWA	Not established	Not established	Not established	400 ppm TWA; 983 mg/m3 TWA
	Ceilings	Not established	Not established	400 ppm Peak; 1000 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	200 ppm TWA MAK; 500 mg/m3 TWA MAK	Not established	Not established
Exposure Limits/Guidelines (Con't.)						

	Result	Ireland	Japan	Korea	Mexico	New Zealand
Isopropyl alcohol (67-63-0)	Ceilings	Not established	400 ppm Ceiling; 980 mg/m ³ Ceiling	Not established	Not established	Not established
	STELs	400 ppm STEL	Not established	400 ppm STEL; 980 mg/m ³ STEL	500 ppm STEL [LMPE-CT]; 1225 mg/m ³ STEL [LMPE-CT]	500 ppm STEL; 1230 mg/m ³ STEL
	TWAs	200 ppm TWA	Not established	200 ppm TWA; 480 mg/m ³ TWA	400 ppm TWA LMPE-PPT; 980 mg/m ³ TWA LMPE- PPT	400 ppm TWA; 983 mg/m ³ TWA
Exposure Limits/Guidelines (Con't.)						
	Result	NIOSH	Norway	OSHA	Philippines	Poland
Isopropyl alcohol (67-63-0)	TWAs	400 ppm TWA; 980 mg/m ³ TWA	100 ppm TWA; 245 mg/m ³ TWA	400 ppm TWA; 980 mg/m ³ TWA	400 ppm TWA; 980 mg/m ³ TWA	900 mg/m ³ TWA [NDS]
	STELs	500 ppm STEL; 1225 mg/m ³ STEL	Not established	Not established	Not established	1200 mg/m ³ STEL [NDSch]
Exposure Limits/Guidelines (Con't.)						
	Result	Portugal	Russia	Singapore	South Africa	Spain
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL [VLE-CD]	50 mg/m ³ STEL (vapor)	500 ppm STEL; 1230 mg/m ³ STEL	500 ppm STEL; 1225 mg/m ³ STEL	400 ppm STEL [VLA-EC]; 1000 mg/m ³ STEL [VLA- EC]
	TWAs	200 ppm TWA [VLE-MP]	10 mg/m ³ TWA (vapor)	400 ppm PEL; 983 mg/m ³ PEL	400 ppm TWA; 960 mg/m ³ TWA; 980 mg/m ³ TWA (regulated under Propane-2-ol)	Not established
	Biological Limit Values (BLV)	Not established	Not established	Not established	Not established	40 mg/L urine end of workweek Acetone (1,F,I)
Exposure Limits/Guidelines (Con't.)						
	Result	Sweden	Switzerland	Taiwan	Venezuela	
Isopropyl alcohol (67-63-0)	MAKs	Not established	200 ppm TWA [MAK]; 500 mg/m ³ TWA [MAK]	Not established	Not established	
	STELs	250 ppm STV; 600 mg/m ³ STV	400 ppm STEL [KZW]; 1000 mg/m ³ STEL [KZW]	Not established	500 ppm STEL [LEB]	
	TWAs	150 ppm LLV; 350 mg/m ³ LLV	Not established	400 ppm TWA; 983 mg/m ³ TWA	400 ppm TWA [CAP]	

Exposure Control Notations

Switzerland

•Isopropyl alcohol (67-63-0): **Developmental Risk Groups:** (Developmental Risk Group C)

Singapore

•Isopropyl alcohol (67-63-0): **Odour Threshold - High:** (490 mg/m³) | **Odour Threshold - Low:** (8 mg/m³) | **Irritation:** (490 mg/m³)

South Africa

•Isopropyl alcohol (67-63-0): **Skin:** (Skin Notation)

Brazil

•Isopropyl alcohol (67-63-0): **Skin:** (skin designation)

Ireland

•Isopropyl alcohol (67-63-0): **Skin:** (Potential for cutaneous absorption)

Exposure Limits Supplemental

Switzerland

•Isopropyl alcohol (67-63-0): **Biological Limit Values:** (25 mg/L Medium: urine Time: end of shift Parameter: Acetone; 25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone)

Argentina

•Isopropyl alcohol (67-63-0): **BEIs:** (2 mg/g Creatinine urine Acetone)

ACGIH

•Isopropyl alcohol (67-63-0): **BEIs:** (40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)) | **TLV Basis - Critical Effects:** (CNS impairment; eye and upper respiratory tract irritation)

Germany TRGS

*Isopropyl alcohol (67-63-0): BELs: (50 mg/L Medium: whole blood Time: end of shift Parameter: Acetone; 50 mg/L Medium: urine Time: end of shift Parameter: Acetone)

8.2 Exposure controls

Engineering Measures/Controls

- Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms



Respiratory

- Not required.

Eye/Face

- Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

- Wear protective gloves - rubber or neoprene.

Skin/Body

- Wear protective clothing - apron or other impervious body coverings.

General Industrial Hygiene Considerations

- Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

- No data available.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description		Appearance/Description	
Physical Form	Liquid	Appearance/Description	Viscous liquid
Color	Red or blue	Odor	Isopropyl alcohol
Taste	Not relevant	Particulate Type	Not relevant
Particulate Size	Not relevant	Aerosol Type	Not relevant
Odor Threshold	Not relevant	Physical and Chemical Properties	Not relevant
General Properties			
Boiling Point	100 C(212 F)	Melting Point	No data available
Decomposition Temperature	Not relevant	Heat of Decomposition	Not relevant
pH	No data available	Specific Gravity/Relative Density	Not relevant
Density	8.51 lbs/gal	Bulk Density	Not relevant
Water Solubility	Soluble	Solvent Solubility	No data available
Viscosity	No data available	Explosive Properties	None
Oxidizing Properties:	None		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	7 %
VOC (Vol.)	Not relevant	Volatiles (Wt.)	90 %
Volatiles (Vol.)	Not relevant		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	Not relevant
Self-Accelerating Decomposition Temperature (SADT)	Not relevant	Heat of Combustion (ΔH_c)	Not relevant
Burning Time	Not relevant	Flame Duration	Not relevant
Flame Height	Not relevant	Flame Extension	Not relevant
Ignition Distance	Not relevant	Flammability (solid, gas)	Non-flammable in liquid form. When dry, product will burn as an

Environmental			ordinary combustible material.
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand Degradation	No data available Unknown	Persistence	Unknown

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid freezing. Excess heat.

10.5 Incompatible materials

- No data available.

10.6 Hazardous decomposition products

- No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data
Isopropyl alcohol (7%)	67-63-0	Acute Toxicity: orl-rat LD50:5000 mg/kg; ihl-rat LC50:16000 ppm/8H; skn-rbt LD50:12800 mg/kg
GHS Properties		Classification
Acute toxicity		EU/CLP• UN GHS•
Skin corrosion/Irritation		EU/CLP• UN GHS•
Serious eye damage/Irritation		EU/CLP•Eye Irritation 2 UN GHS•Eye Irritation 2A
Skin sensitization		EU/CLP• UN GHS•
Respiratory sensitization		EU/CLP• UN GHS•
Aspiration Hazard		EU/CLP• UN GHS•
Carcinogenicity		EU/CLP• UN GHS•

Germ Cell Mutagenicity	EU/CLP• UN GHS•
Toxicity for Reproduction	EU/CLP• UN GHS•
STOT-SE	EU/CLP• UN GHS•
STOT-RE	EU/CLP• UN GHS•

Potential Health Effects

Inhalation

- Acute (Immediate)** • May cause mild irritation.
Chronic (Delayed) • No data available.

Skin

- Acute (Immediate)** • May cause irritation.
Chronic (Delayed) • No data available.

Eye

- Acute (Immediate)** • Causes eye irritation.
Chronic (Delayed) • No data available.

Ingestion

- Acute (Immediate)** • No data available.
Chronic (Delayed) • No data available.

Section 12 - Ecological Information

12.1 Toxicity

- No data available.

12.2 Persistence and degradability

- No data available.

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No data available.

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

- Product waste** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Packaging waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

- Dispose of wastes in an approved waste disposal facility.
-

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
TDG	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
ADN	NDA	NDA	NDA	NDA	NDA
ADR/RID	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

14.8 Other information

DOT • DOT (US): Not dangerous goods.

IMO/IMDG • IMDG: Not dangerous goods.

IATA/ICAO • IATA: Not dangerous goods.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

State Right To Know						
Component	CAS	MA	NJ	PA		
Isopropyl alcohol	67-63-0	Yes	Yes	Yes		
Inventory						
Component	CAS	Australia AICS	Canada DSL	China	EU EINECS	Japan ENCS
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	Yes
Inventory (Con't.)						
Component	CAS	Korea KECL	New Zealand	Philippines PICCS	TSCA	
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	

Australia

Labor

Australia - High Volume Industrial Chemicals List

- Isopropyl alcohol 67-63-0 7%

Australia - List of Designated Hazardous Substances - Classification

- Isopropyl alcohol 67-63-0 7% F, Xi R11, R36, R67

Environment

Australia - Priority Existing Chemical Program

- Isopropyl alcohol 67-63-0 7% Candidate chemical

Canada

Labor

Canada - WHMIS - Classifications of Substances

- Isopropyl alcohol 67-63-0 7% B2, D2B (including 70%)

Canada - WHMIS - Ingredient Disclosure List

- Isopropyl alcohol 67-63-0 7% 1 %

Canada Alberta

Environment

Canada - Alberta - Ambient Air Quality Objectives

- Isopropyl alcohol 67-63-0 7% 3190 ppbv 1 hour average; 7850 µg/m³ 1 hour average

China

Other

China - Dangerous Goods List

- Isopropyl alcohol 67-63-0 7% UN1219 PG = II

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

- Isopropyl alcohol 67-63-0 7% F; R11 Xi; R36 R67

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

- Isopropyl alcohol 67-63-0 7% F Xi R:11-36-67 S:(2)-7-16-24/25-26

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

- Isopropyl alcohol 67-63-0 7% S:(2)-7-16-24/25-26

Germany

Environment

Germany - Water Classification (VwVWS) - Annex 2 - Water Hazard Classes

- Isopropyl alcohol 67-63-0 7% ID Number 135, hazard class 1 - low hazard to waters

Hong Kong

Labor

Hong Kong - Dangerous Substances Regulations - Classification

- Isopropyl alcohol 67-63-0 7% Flammable

Hong Kong - Dangerous Substances Regulations - Particular Risks

- Isopropyl alcohol 67-63-0 7% R-11

Hong Kong - Dangerous Substances Regulations - Safety Precautions

- Isopropyl alcohol 67-63-0 7% S-6/8, S-13

Other

Hong Kong - Dangerous Goods - Category 5 - Substances Giving Off Flammable Vapour

- Isopropyl alcohol 67-63-0 7% Class 1, Division 2

India

Environment

India - Hazardous Chemical Rules - List of Hazardous and Toxic Chemicals

- Isopropyl alcohol 67-63-0 7%

Japan

Labor

Japan - ISHL Dangerous Substances

- Isopropyl alcohol 67-63-0 7% Flammable substance

Japan - ISHL Harmful Substances Requiring Workers to Subject to Medical Exams

- Isopropyl alcohol 67-63-0 7% (when produced and handled indoors)

Japan - ISHL Harmful Substances Whose Names Are to be Indicated on the Label

- Isopropyl alcohol 67-63-0 7% >1 % weight

Japan - ISHL Notifiable Substances

- Isopropyl alcohol 67-63-0 7% >0.1 % weight [Table 9, 494] (listed under Propyl alcohol)

Japan - ISHL Prevention of Organic Solvent Poisoning

- Isopropyl alcohol 67-63-0 7% Class 2

Environment

Inventory - Japan - Industrial Safety and Health Law Substances (ISHL)

- Isopropyl alcohol 67-63-0 7% 2-(8)-319

Other

Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances

- Isopropyl alcohol 67-63-0 7% Decomposable

Japan - Fire Service Law - Hazardous Materials

- Isopropyl alcohol 67-63-0 7% Group 4 - Flammable liquids II (listed under Alcohols)

Japan - Japanese Pharmacopoeia Listing - Synthetics

- Isopropyl alcohol 67-63-0 7%

Japan - ISHL Working Environment Evaluation Standards - Administrative Control Levels

- Isopropyl alcohol 67-63-0 7% 200 ppm ACL

Mexico

Other

Mexico - Hazard Classifications

- Isopropyl alcohol 67-63-0 7% Hazard Class = 3 PG = II UN1219

Mexico - Regulated Substances

- Isopropyl alcohol 67-63-0 7% UN1219

Singapore

Environment

Singapore - Petroleum and Flammable Materials - Hazard Classes

- Isopropyl alcohol 67-63-0 7% Hazard Class = 3

Singapore - Petroleum and Flammable Materials - Regulated Products

- Isopropyl alcohol 67-63-0 7% SCDIPA1219L2

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

- Isopropyl alcohol 67-63-0 7%

15.2 Chemical Safety Assessment

- No data available

15.3 Other Information

- California Proposition 65: This product contains or may contain trace quantities if a substance(s) known to the State of California to cause cancer and/or reproductive toxicity: Formaldehyde <0.002%

Section 16 - Other Information

Relevant Phrases (code & full text)

- H319 - Causes serious eye irritation.
- P264 - Wash thoroughly after handling.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- R11 - Highly flammable.
- R36 - Irritating to eyes.
- R67 - Vapours may cause drowsiness and dizziness.
- S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Classification method for mixtures

- Calculation method.

Last Revision Date

- 27 July 2004

Preparation Date

- 15 May 2012

Other Information

- Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability

- The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.