Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Razor 8x
Product Description • Blue liquid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Water-based emulsion

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation

4832 Grand Ave. Duluth, MN 55807 United States www.ikonics.com sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada

• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Skin Irritation 2 - H315

Skin Sensitization 1 - H317 Eye Irritation 2 - H319

Hazardous to the aquatic environment Chronic 3 - H412

DSD/DPD • Irritant (Xi)

Sensitizer

R36, R38, R43, R53

2.2 Label Elements

CLP

WARNING



Hazard statements • H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases • R36 - Irritating to eyes.

R38 - Irritating to skin.

R43 - May cause sensitization by skin contact.

R53 - May cause long-term adverse effects in the aquatic environment.

Safety phrases • S24 - Avoid contact with skin.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 - Wear suitable gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S57 - Use appropriate containment to avoid environmental contamination.

2.3 Other Hazards

CLPNo data availableNo data available

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS

Skin Irritation 2 - H315
 Skin Sensitization 1 - H317
 Eye Irritation 2 - H319

Hazardous to the aquatic environment Chronic 3 - H412

2.2 Label elements

UN GHS

WARNING



Hazard statements • H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Skin Irritation 2 - H315
 Skin Sensitization 1 - H317
 Eye Irritation 2 - H319

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • Causes skin irritation - H315

May cause an allergic skin reaction - H317 Causes serious eye irritation - H319

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray. - P261

Wash thoroughly after handling. - P264

Contaminated work clothing should not be allowed out of the workplace. - P272

Avoid release to the environment. - P273

Wear protective gloves/protective clothing/eye protection/face protection. - P280 $\,$

Response • IF ON SKIN: Wash with plenty of soap and water. - P302+P352

If skin irritation or rash occurs: Get medical advice/attention. - P333+P313

Take off contaminated clothing and wash before reuse. - P362

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. - P305+P351+P338
If eye irritation persists: Get medical advice/attention. - P337+P313
Specific treatment, see supplemental first aid information. - P321

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

• No data available

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

• Other Toxic Effects - D2B

2.2 Label elements

WHMIS



• Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

No data available

2.4 Other information



Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Hazardous Components							
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive			
Ethoxylated nonyl phenol acrylate	CAS: 678991-31-6	9% TO 10%		WHMIS: UN GHS: Skin Irrit. 2; Eye Irrit. 2 EU DSD/DPD: EU CLP: OSHA HCS 2012:			
Pentaerythritol Tetraacrylate	CAS:4986-89- 4 EC Number:225- 644-1 EINECS:225- 644-1	5% TO 6%		WHMIS: UN GHS: Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: OSHA HCS 2012:			
2-Propenoic acid, 2- (hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3- propanediyl ester	CAS:3524-68-3 EC Number:222-540-8 EINECS:222-540-8	1% TO 2%	Ingestion/Oral-Rat LD50 • 1830 mg/kg Skin-Rabbit LD50 • 4 mL/kg	WHMIS: UN GHS: Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: OSHA HCS 2012:			

Benzophenone	CAS:119-61-9 EINECS:204- 337-6	< 1%	Ingestion/Oral-Rat LD50 • >10 g/kg Skin-Rabbit LD50 • 3535 mg/kg	WHMIS: Other Toxic Effects - D2B UN GHS: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2A; Skin Irrit. 3 EU DSD/DPD: R36/38; R50/53 EU CLP: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2; Skin Irrit. 2 OSHA HCS 2012:	
1-Butanone, 2-(dimethylamino)-1- (4-(4-morpholinyl)phenyl)-2- (phenylmethyl)	CAS:119313- 12-1 EC Number:404- 360-3	< 0.4%	Ingestion/Oral-Rat LD50 • >2000 mg/kg Skin-Rat LD50 • >=2000 mg/kg	WHMIS: UN GHS: Aquatic Acute 1; Aquatic Chronic 1 EU DSD/DPD: Environment(N); R50; R53 EU CLP: Aquatic Acute 1; Aquatic Chronic 1 OSHA HCS 2012:	

European Chemicals Agency – Candidate List of Substances of Very High Concern for Authorization

Ethoxylated nonyl phenol acrylate, CAS #678991-31-6; (4-Nonylphenol, branched and linear, ethoxylated); listed 2013/06/20; 9-10%.

Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.

Skin

• IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

 If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Media

Suitable Extinguishing • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable

No data available

Extinguishing Media

Firefighting Procedures • LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

Fire fighters should wear complete protective clothing including self-contained breathing

apparatus.

Keep unauthorized personnel away. Ventilate closed spaces before entering.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and

Some of these materials may burn, but none ignite readily.

Explosion Hazards

Hazardous Combustion • Products of combustion include: carbon oxides (COx). **Products**

5.3 Advice for firefighters

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

• Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures

 No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up

Measures

Use appropriate Personal Protective Equipment (PPE)
 Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

• Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

 Keep container closed when not in use. Store away from extreme heat. Do not freeze

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Control Notations

Germany DFG

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester (3524-68-3): Sensitizers: (skin sensitizer)

8.2 Exposure controls

Engineering Measures/Controls

 Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms

₩ ØQ *

Respiratory

Eye/Face

Hands Skin/Body

General Industrial Hygiene

Considerations

Environmental Exposure Controls

- In case of insufficient ventilation, wear suitable respiratory equipment.
- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear protective gloves rubber or neoprene.
- Wear protective clothing apron or other impervious body coverings.
- Handle in accordance with good industrial hygiene and safety practice.
- No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Viscous liquid.
Color	Blue	Odor	Mild
Taste	Not relevant	Odor Threshold	No data available
Physical and Chemical Properties	Not relevant		
General Properties			
Boiling Point	100 C(212 F)	Melting Point	No data available
Decomposition Temperature	Not relevant	рН	No data available
Density	8.71 lbs/gal	Water Solubility	Miscible
Solvent Solubility	No data available	Viscosity	No data available
Explosive Properties	Not relevant	Oxidizing Properties:	Not relevant
Volatility			
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Evaporation Rate	No data available	VOC (Wt.)	Not relevant
Volatiles (Wt.)	61 to 71 %		
Flammability			
Flash Point	> 200 F(> 93.3333 C)	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

• Polymerizes to solid/semisolid form upon exposure to UV radiation.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• UV reactive.

10.3 Possibility of hazardous reactions

· Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Avoid freezing. Excess heat.

10.5 Incompatible materials

• No data available

10.6 Hazardous decomposition products

• No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data	
2-Propenoic acid, 2-(hydroxymethyl)-2- (((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester (1% TO 2%)	3524-68-3	Acute Toxicity: orl-rat LD50:1830 mg/kg; skn-rbt LD50:4 mL/kg; Irritation: eye-rbt 1 mg SEV; skn-rbt 500 mg open MLD	
Benzophenone (< 1%)	119-61-9	Acute Toxicity: orl-rat LD50:>10 gm/kg; Skin-Rabbit LD50 • 3535 mg/kg; Reproductive: orl-rat TDLo:4200 mg/kg (6-19D preg)	
1-Butanone, 2-(dimethylamino)-1-(4- (4-morpholinyl)phenyl)-2- (phenylmethyl) (< 0.4%)	119313-12-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • >2000 mg/kg; Skin-Rat LD50 • >=2000 mg/kg	
GHS Properties	Classification		
Acute toxicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Aspiration Hazard	EU/CLP• OSHA HCS 2012• UN GHS•		
Carcinogenicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Germ Cell Mutagenicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Skin corrosion/Irritation	EU/CLP•Skin Irrita OSHA HCS 2012• UN GHS•Skin Irrita	Skin Irritation 2	
Skin sensitization	EU/CLP•Skin Sens OSHA HCS 2012• UN GHS•Skin Sen	Skin Sensitizer 1	
STOT-RE	EU/CLP• OSHA HCS 2012• UN GHS•		
STOT-SE	EU/CLP• OSHA HCS 2012• UN GHS•		
Toxicity for Reproduction	EU/CLP• OSHA HCS 2012• UN GHS•		
Respiratory sensitization	EU/CLP• OSHA HCS 2012• UN GHS•		
Serious eye damage/Irritation	EU/CLP•Eye Irritat OSHA HCS 2012• UN GHS•Eye Irrita	Eye Irritation 2	

Route(s) of entry/exposure

Skin, Eye

Potential Health Effects

Inhalation

Acute (Immediate)

• May cause irritation.

Chronic (Delayed)

• Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate)

• Causes skin irritation. May cause an allergic skin reaction.

Chronic (Delayed)

• Repeated and prolonged exposure may cause sensitization.

Eye

Acute (Immediate)

• Causes serious eye irritation.

Chronic (Delayed)

• Repeated and prolonged exposure may be harmful.

Ingestion

Acute (Immediate)

· May cause irritation.

Chronic (Delayed)

• No specific information available.

Section 12 - Ecological Information

12.1 Toxicity

Component	CAS	Data	Comments
Benzophenone (< 1%)	119-61-9	Crustacea: 24 Hour(s) EC50 Crustacea .28 mg/L ; Fish: 96 Hour(s) LC50 Fish 14.2 mg/L	
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) (< 0.4%)	119313-12-1	Crustacea: 24 Hour(s) EC50 Water Flea .8 mg/L ; Fish: 96 Hour(s) LC50 Fish .46 mg/L	

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

• No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

• Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- Not relevant.

14.8 Other information

DOT • Not regulated.

IMO/IMDG • Not regulated.

IATA/ICAO • Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

Inventory							
Component	CAS	Australia AICS	Canada DSL	Canada NDSL	China	EU EINECS	
Ethoxylated nonyl phenol acrylate	678991-31- 6	No	No	Yes	No	No	
Pentaerythritol Tetraacrylate	4986-89-4	Yes	Yes	No	Yes	Yes	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	Yes	Yes	No	Yes	Yes	
Benzophenone	119-61-9	Yes	Yes	No	Yes	Yes	
1-Butanone, 2- (dimethylamino)-1-(4- (4- morpholinyl)phenyl)- 2-(phenylmethyl)	119313-12- 1	Yes	Yes	No	Yes	No	
			Inventory (Con	't.)			
Component	CAS	EU ELNICS	Japan ENCS	Korea KECL	New Zealand	Philippines PICCS	
Ethoxylated nonyl phenol acrylate	678991-31- 6	No	No	No	No	No	
Pentaerythritol Tetraacrylate	4986-89-4	No	Yes	Yes	Yes	Yes	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	No	Yes	Yes	Yes	Yes	
Benzophenone	119-61-9	No	Yes	Yes	Yes	Yes	
1-Butanone, 2- (dimethylamino)-1-(4- (4- morpholinyl)phenyl)- 2-(phenylmethyl)	119313-12- 1	Yes	Yes	Yes	Yes	Yes	

Inventory (Con't.)							
Component CAS Switzerland SWISS TSCA							
Ethoxylated nonyl phenol acrylate	678991-31-6	No	Yes				
Pentaerythritol Tetraacrylate	4986-89-4	No	Yes				
2-Propenoic acid, 2-(hydroxymethyl)-2- (((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester	3524-68-3	No	Yes				
Benzophenone	119-61-9	No	Yes				
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Yes	Yes				

Australia

Labor

L	apor							
	Australia - List of Designated Hazardous Substances - Classification							
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester					Xi R36/38, R43	
	•Ethoxylated nonyl phenol acrylate						Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TC	6%	Xi R36/38, R43	
	•Benzophenone		119-61-	-9	< 1%		Not Listed	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)		119313	-12-1	< 0.4%)	N R50, R53	
E	urope							
C	Other							
_	EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification							
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester	3524-68	3-3	1% TO	2%	Xi; R36/38 R43	
	•Ethoxylated nonyl phenol acrylate				9% TO	10%	Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TO	6%	Xi; R36/38 R43	
	•Benzophenone		119-61-	.9	< 1%		Not Listed	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)		119313	-12-1	< 0.4%	•	N; R50-53	
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	0504	00.0	40/ 7	-0.00/	V: D.	00/00 40 0-(0) 00	
	ester	3524	-68-3	1% I	0 2%	XI R:	36/38-43 S:(2)-39	
	•Ethoxylated nonyl phenol acrylate	6789	91-31-6	9% 1				
	Pentaerythritol Tetraacrylate	4986	-89-4	5% 1	O 6%	Xi R:	36/38-43 S:(2)-26-	
	•Benzophenone	119-6	61-9	< 1%		Not L	isted	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	1193	13-12-1	< 0.4	%	N R:5	50/53 S:60-61	
	EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations	;						
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester	3524-68	3-3	1% TO	2%	D	
	•Ethoxylated nonyl phenol acrylate		678991	-31-6	9% TO	10%	Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TO	6%	D	
	•Benzophenone		119-61-	.9	< 1%		Not Listed	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)		119313	-12-1	< 0.4%)	Not Listed	
	EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases							
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester	3524-68	3-3	1% TO	2%	S:(2)-39	
	•Ethoxylated nonyl phenol acrylate		678991	-31-6	9% TO	10%	Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TO	6%	S:(2)-26-39	
	•Benzophenone		119-61-	.9	< 1%		Not Listed	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)		119313	-12-1	< 0.4%)	S:60-61	
	EU - Endocrine Disrupters (COM (2001)262) - Candidate List of Substances							
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester	3524-68	3-3	1% TO	2%	Not Listed	
	•Ethoxylated nonyl phenol acrylate		678991	-31-6	9% TO	10%	Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TO	6%	Not Listed	
	•Benzophenone		119-61-	.9	< 1%		Group III Chemical	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)		119313	-12-1	< 0.4%)	Not Listed	
	EU - Existing Substance Regulation (793/93/EEC) - Evaluation of Existing HPV Che	mical	s (REPE	EALE	D)			
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl	ester	3524-68	3-3	1% TO	2%	Not Listed	
	•Ethoxylated nonyl phenol acrylate		678991	-31-6	9% TO	10%	Not Listed	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% TO	6%	Not Listed	
	B			_	407			

Germany

Environment

•Benzophenone

•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)

119-61-9 < 1%

119313-12-1 < 0.4% Not Listed

Germany - Water Classification (VwVwS) - Annex 3

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-3524-68-3 1% TO 2% Not Listed 1,3-propanediyl ester 678991-31-6 9% TO 10% Not Listed •Ethoxylated nonyl phenol acrylate Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed

ID Number 2024, hazard class 2 -119-61-9 Benzophenone

hazard to waters

•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-ID Number 2102, hazard class 2 -119313-12-1 < 0.4% (phenylmethyl) hazard to waters

Japan

Environment

Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substances

•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 1% TO 2% Not Listed •Ethoxylated nonyl phenol acrylate 678991-31-6 9% TO 10% Not Listed Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed Benzophenone 403 >=1 % 119-61-9 < 1% •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) 119313-12-1 < 0.4% Not Listed Inventory - Japan - Industrial Safety and Health Law Substances (ISHL) •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 1% TO 2% Not Listed •Ethoxylated nonyl phenol acrylate 678991-31-6 9% TO 10% Not Listed Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed Benzophenone Not Listed 119-61-9 < 1%

Other

Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-3524-68-3 1% TO 2% Non-decomposable/Low-concentrate propenyl)oxy)methyl)-1,3-propanediyl ester •Ethoxylated nonyl phenol acrylate 678991-31-6 9% TO 10% Not Listed Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed Low-decomposable (see also 4-125); Non-

 Benzophenone 119-61-9 < 1% decomposable/Low-concentrate (see also 4-125)

•1-Butanone, 2-(dimethylamino)-1-(4-(4-119313-12-1 < 0.4% Not Listed morpholinyl)phenyl)-2-(phenylmethyl)

Japan - Fire Service Law - Hazardous Materials

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-Group 4 - Flammable liquids III (listed under 3rd 3524-68-3 1% TO 2% propenyl)oxy)methyl)-1,3-propanediyl ester Class petroleums - insoluble)

 Ethoxylated nonyl phenol acrylate 678991-31-6 9% TO 10% Not Listed Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed •Benzophenone 119-61-9 < 1% Not Listed •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-119313-12-1 < 0.4% Not Listed

(phenylmethyl)

Korea Labor

Korea - MOE - Harmful Substances

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 1% TO 2% Not Listed •Ethoxylated nonyl phenol acrylate 678991-31-6 9% TO 10% Not Listed Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed Benzophenone 119-61-9 < 1% Not Listed •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) 119313-12-1 < 0.4% 92-23 Korea - ISHA - Name, Toxicity and Protective Measures of New Chemical Substances

2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 1% TO 2% Not Listed 678991-31-6 9% TO 10% Not Listed •Ethoxylated nonyl phenol acrylate Pentaerythritol Tetraacrylate 4986-89-4 5% TO 6% Not Listed Benzophenone Not Listed 119-61-9 < 1% •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) 119313-12-1 < 0.4% 94-20

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

 California Proposition 65: This product contains or may contain a substance(s) known to the State of California to cause cancer and/or reproductive toxicity:

8-(7)-927

119313-12-1 < 0.4%

Benzophenone CAS #119-61-9 <1% Formaldehyde <0.09% CAS #50-00-0 1,4-Dioxane CAS #123-91-1 <0.00008%

Section 16 - Other Information

Relevant Phrases (code & full text)

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment, see supplemental first aid information.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

R36 - Irritating to eyes.

R38 - Irritating to skin.

R43 - May cause sensitization by skin contact.

R50 - Very toxic to aquatic organisms.

R51 - Toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

S24 - Avoid contact with skin.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 - Wear suitable gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S57 - Use appropriate containment to avoid environmental contamination.

Classification method for mixtures

· Calculation method.

Last Revision Date

• 04 February 2013

Preparation Date

• 12 March 2014

Other Information

Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Liability

Disclaimer/Statement of • The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.