

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier	
Product Name	UDC-ACE
Product Description	Blue liquid.
1.2 Relevant identified	uses of the substance or mixture and uses advised against
Relevant identified use(s)	Water-based emulsion
1.3 Details of the suppl	ier of the safety data sheet
Manufacturer	IKONICS Corporation 4832 Grand Ave. Duluth, MN 55807 United States
	www.ikonics.com sds@ikonics.com
Telephone (Genera	I) ● (218) 628-2217
Telephone (Genera	l) • (800) 328-4261 - Toll free
1.4 Emergency telepho	ne number
Chemtrec	 1-800-424-9300 - Within USA and Canada

Chemtrec

- 1-800-424-9300 Within USA and Canada
- +1 703-527-3887 Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP	 Skin Irritation 2 - H315 Skin Sensitization 1A - H317 Eye Irritation 2 - H319 Hazardous to the aquatic environment Chronic 2 - H411
DSD/DPD	 Dangerous to the Environment (N) Irritant (Xi) Sensitizer R43, R51/53

2.2 Label Elements CLP

WARNING



Hazard statements • H315 - Causes skin irritation

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H411 Toxic to aquatic life with long lasting effects

Precautionary

statements

Prevention •	 P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information. P362 - Take off contaminated clothing and wash before reuse. P391 - Collect spillage.
Storage/Disposal •	P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
DPD	
Risk phrases ●	R43 - May cause sensitization by skin contact. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases •	S24 - Avoid contact with skin.

DSD/DP

Risk phrases	 R43 - May cause sensitization by skin contact. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases	 S24 - Avoid contact with skin. S37 - Wear suitable gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
2.3 Other Hazards	
CLP	No data available
DSD/DPD	No data available

DSD/DPD

UN GHS According to Third Revised Edition

2.1 Classification of the substance or mixture

UN	GHS
U	00

• Skin Irritation 2 - H315 Skin Sensitization 1A - H317 Eye Irritation 2 - H319 Hazardous to the aquatic environment Acute 2 - H401 Hazardous to the aquatic environment Chronic 2 - H411

2.2 Label elements

UN GHS

WARNING



Hazard statements • H315 - Causes skin irritation

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation

	H411 - Toxic to aquatic life with long lasting effects
Precautionary statements	
Prevention •	 P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information. P362 - Take off contaminated clothing and wash before reuse. P391 - Collect spillage.
Storage/Disposal •	P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3 Other hazards	
UN GHS •	No data available

United States (US) According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012	 Skin Irritation 2 - H315 Skin Sensitization 1A - H317 Eye Irritation 2 - H319
OSHA HCS 1994	 No data available
2.2.1 abol alamonte	

2.2 Label elements OSHA HCS 2012

WARNING



Hazard statements •	H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements	
Prevention •	 P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information. P362 - Take off contaminated clothing and wash before reuse. P391 - Collect spillage.
Storage/Disposal •	P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

OSHA HCS 1994	 No data available
2.3 Other hazards	
OSHA HCS 2012	 No data available
OSHA HCS 1994	 No data available

Canada


According to WHMIS

2.1 Classification of the substance or mixture					
WHMIS	Other Toxic Effects - D2B				
2.2 Label elements					
WHMIS	$\overline{\mathbf{T}}$				
	Other Toxic Effects - D2B				

2.3 Other hazards WHMIS

• No data available

2.4 Other information



Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance.

3.2 Mixtures

Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Acrylic acid, propylenebis(oxypropylene) ester	CAS:42978- 66-5 EC Number:256- 032-2 EINECS:256- 032-2	2% TO 3%	Ingestion/Oral- Rat LD50 • 6200 mg/kg Skin-Rabbit LD50 • >2 g/kg	OSHA HCS 1994: WHMIS: UN GHS: Aquatic Chronic 2; Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1; STOT SE 3: Resp. Irrit. EU DSD/DPD: Environment(N); Irritant(Xi); R36/37/38; R43; R51; R53 EU CLP:	
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2- propenyl)oxy)	CAS: 52408- 84-1	2% TO 3%		OSHA HCS 1994: Irrit. WHMIS: UN GHS: Eye Irrit. 2A; Skin Irrit. 2 EU DSD/DPD: Irritant(Xi); R36/37 EU CLP: Eye Irrit. 2; Skin Irrit. 2	
1-hydroxycyclohexyl phenyl ketone	CAS:947-19-3 EC	1% TO 2%		OSHA HCS 1994: Irrit. WHMIS:	

	Number:213- 426-9 EINECS:213- 426-9			UN GHS: Acute Tox. 5; Eye Irrit. 2A; Skin Irrit. 2 EU DSD/DPD: R36/37/38 EU CLP: Eye Irrit. 2; Skin Irrit. 2
Benzophenone	CAS :119-61-9 EINECS :204- 337-6	1% TO 2%	Ingestion/Oral- Rat LD50 • >10 g/kg Skin-Rabbit LD50 • 3535 mg/kg	OSHA HCS 1994: Irrit. WHMIS: Other Toxic Effects - D2B UN GHS: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2A; Skin Irrit. 3 EU DSD/DPD: R36/38; R50/53 EU CLP: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2; Skin Irrit. 2
1-Butanone, 2-(dimethylamino)-1- (4-(4-morpholinyl)phenyl)-2- (phenylmethyl)	CAS :119313- 12-1 EC Number :404- 360-3	< 1%	Ingestion/Oral- Rat LD50 • >2000 mg/kg Skin-Rat LD50 • >=2000 mg/kg	OSHA HCS 1994: WHMIS: UN GHS: Aquatic Acute 1; Aquatic Chronic 1 EU DSD/DPD: Environment(N); R50; R53 EU CLP: Aquatic Acute 1; Aquatic Chronic 1

Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 11 for Toxicological Information.					
Section 4 - First Aid Measures					
14 Description of first aid measures					

4.1 Description of first aid measures

Inhalation	 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call 911 or emergency medical service.
Skin	 IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
Еуе	• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	 If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.
4.2 Most impo	rtant symptoms and effects, both acute and delayed
	 Refer to Section 11 - Toxicological Information.
4.3 Indication	of any immediate medical attention and special treatment needed
Notes to Physician	No data available.

Antidotes • No data available.

4.4 Other information

• Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media	 SMALL FIRES: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam.
Unsuitable Extinguishing Media	No data available.
Firefighting Procedures	 Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Keep unauthorized personnel away. Ventilate closed spaces before entering. LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Hazardous Combustion • No data available. Products

5.3 Advice for firefighters

• Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions	 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Contact may irritate or burn skin and eyes.
Emergency Procedures	 No emergency procedures are expected to be necessary if material is used under ordinary conditions as as recommended. Use normal clean up procedures.

6.2 Environmental precautions

• LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Use appropriate Personal Protective Equipment (PPE) Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

• Use good safety and industrial hygiene practices. Do not expose to sunlight or white room light. Handle under yellow room lights to prevent polymerization due to UV exposure.

7.2 Conditions for safe storage, including any incompatibilities

• Keep container closed when not in use. Store away from extreme heat. Do not freeze.

Special Packaging • Package in opaque containers and/or use additional light-blocking materials.

7.3 Specific end use(s)

Materials

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines • No data available.

8.2 Exposure controls

Engineering

• Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Measures/Controls Personal Protective Equipment

Pictograms



Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.
- Wear protective eyewear (goggles, face shield, or safety glasses).

Eye/Face Hands

Skin/Body

- Wear protective gloves rubber or neoprene.
- Wear protective clothing apron or other impervious body coverings.

General Industrial Hygiene Considerations

• Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental Exposure Controls

No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Viscous liquid.
Color	Blue	Odor	No data available.
Taste	No data available.	Particulate Type	No data available
Particulate Size	No data available	Aerosol Type	No data available
Odor Threshold	No data available		•
General Properties			
Boiling Point	100 C(212 F)	Melting Point	No data available
Decomposition Temperature	No data available	Heat of Decomposition	No data available
рН	No data available	Specific Gravity/Relative Density	No data available
Density	8.9 lbs/gal	Bulk Density	No data available
Water Solubility	Miscible	Solvent Solubility	No data available
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	No data available
VOC (Vol.)	No data available	Volatiles (Wt.)	No data available
Volatiles (Vol.)	No data available		
Flammability			
Flash Point	> 100 C(> 212 F)	UEL	No data available
LEL	No data available	Autoignition	No data available
Self-Accelerating Decomposition Temperature (SADT)	No data available	Heat of Combustion (ΔHc)	No data available
Burning Time	No data available	Flame Duration	No data available
Flame Height	No data available	Flame Extension	No data available
Ignition Distance	ance No data available Flammability (solid, gas)		Non-flammable in liquid form. When dry, product will burn as an ordinary combustible material.
Environmental			
Half-Life	No data available	Octanol/Water Partition	No data available

		coefficient	
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

• Polymerizes to solid/semisolid form upon exposure to UV radiation.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• UV reactive.

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Excess heat. Direct sunlight. Avoid freezing.

10.5 Incompatible materials

• No data available.

10.6 Hazardous decomposition products

• Hazardous decomposition products formed under fire conditions - carbon oxides, nitrogen oxides. No decomposition is expected under normal storage and use conditions.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data		
Acrylic acid, propylenebis(oxypropylene) ester (2% TO 3%)	42978-66-5	Acute Toxicity: skn-rbt LD50:>2 gm/kg; Irritation: eye-rbt 100 uL/24H SEV; skn-rbt 500 mg MOD		
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha"-1,2,3- propanetriyltris(omega-((1-oxo-2- propenyl)oxy) (2% TO 3%)	52408-84-1	Acute Toxicity: skn-rat TDLo:4 mL/kg/2W-I		
Benzophenone (1% TO 2%)	119-61-9	Acute Toxicity: orl-rat LD50:>10 gm/kg; Skin-Rabbit LD50 • 3535	i mg/kg	
1-Butanone, 2-(dimethylamino)-1-(4- (4-morpholinyl)phenyl)-2- (phenylmethyl) (< 1%)	119313-12-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2000 mg/kg; orl-rat TD gm/kg/14D-C; Skin-Rat LD50 • 2000 mg/kg	Lo:42	
GHS Properties	Classification			
Acute toxicity	EU/CLP• OSHA HCS 20 ⁻ UN GHS•	12•		
Aspiration Hazard	EU/CLP• OSHA HCS 20 ⁻ UN GHS•	SHA HCS 2012•		
Carcinogenicity	EU/CLP• OSHA HCS 2012• UN GHS•			
Germ Cell Mutagenicity	EU/CLP•			

	OSHA HCS 2012•	
Skin corrosion/Irritation	EU/CLP•Skin Irritation 2 OSHA HCS 2012•	
	UN GHS•Skin Mild Irritation 3	
	EU/CLP•	
Skin sensitization	OSHA HCS 2012• UN GHS•Skin Sensitizer 1A	
STOT-RE	OSHA HCS 2012•	
	UN GHS•	
0707 0F	EU/CLP•	
STOT-SE	OSHA HCS 2012• UN GHS•	
	EU/CLP•	
Toxicity for Reproduction	OSHA HCS 2012•	
	UN GHS•	
Respiratory sensitization	EU/CLP• OSHA HCS 2012•	
	UN GHS•	
	EU/CLP•Eye Irritation 2	
Serious eye damage/Irritation	OSHA HCS 2012• UN GHS•Eye Irritation 2	
Medical Conditions Aggrav Exposure	• No data available.	
Potential Health Effects		
Inhalation		
Acute (Immediate)	 May cause mild irritation. 	
Chronic (Delayed)	No data available	
Skin		
Acute (Immediate)	 Causes skin irritation. May cause an allergic skin reaction. 	
Chronic (Delayed)	 No data available 	
Еуе		
Acute (Immediate)	 Causes serious eye irritation. 	
Chronic (Delayed) • No data available		
Ingestion		
Acute (Immediate)	 May cause mild irritation. 	
Chronic (Delayed)	 No data available 	
Mutagenic Effects	No data available.	
Carcinogenic Effects	 No data available. 	

Reproductive Effects

No data available.

Section 12 - Ecological Information

12.1 Toxicity

Component	CAS	Data	Comments
Benzophenone (1% TO 2%)	119-61-9	Crustacea: 24 Hour(s) EC50 Crustacea .28 mg/L ; Fish: 96 Hour(s) LC50 Fish 14.2 mg/L	

1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) (< 1%)	119313-12-1	Crustacea: 24 Hour(s) EC50 Water Flea .8 mg/L ; Fish: 96 Hour(s) LC50 Fish .46 mg/L				
12.2 Parsistance and degradability						

12.2 Persistence and degradability

12.3 Bioaccumulative potential

- 12.4 Mobility in Soil
- 12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

Ecological Fate

Potential Environmental Effects

• No data available.

- No data available.
- No data available.
- No data available
- No data available.
- May cause long lasting harmful effects to aquatic life.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

• Dispose of wastes in an approved waste disposal facility. Avoid release to the environment.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
TDG	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
ADN	NDA	NDA	NDA	NDA	NDA
ADR/RID	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

None specified.
Not relevant.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.8 Other information

DOT • DOT (US): Not dangerous goods.

IMO/IMDG • IMDG: Not dangerous goods.

IATA/ICAO • IATA: Not dangerous goods.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Inventory							
Component	CAS	Australia AICS	Canada DSL	Chin	а	EU EINECS	EU ELNICS
Acrylic acid, propylenebis(oxypropylene) ester	42978-66- 5	Yes	Yes	Yes		Yes	No
Poly(oxy(methyl-1,2- ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1- oxo-2-propenyl)oxy)	52408-84- 1	Yes	Yes	Yes N		No	No
1-hydroxycyclohexyl phenyl ketone	947-19-3	Yes	Yes	Yes		Yes	No
Benzophenone	119-61-9	Yes	Yes	Yes		Yes	No
1-Butanone, 2- (dimethylamino)-1-(4-(4- morpholinyl)phenyl)-2- (phenylmethyl)	119313- 12-1	Yes	Yes	Yes		No	Yes
		In	ventory (Con't	.)			
Component	CAS	Japan ENCS	Korea KECL	New Zeal	and	Philippines PICCS	Switzerland SWISS
Acrylic acid, propylenebis(oxypropylene) ester	42978-66- 5	Yes	Yes	Yes		Yes	No
Poly(oxy(methyl-1,2- ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1- oxo-2-propenyl)oxy)	52408-84- 1	Yes	Yes	Yes		Yes	No
1-hydroxycyclohexyl phenyl ketone	947-19-3	Yes	Yes	Yes		Yes	No
Benzophenone	119-61-9	Yes	Yes	Yes		Yes	No
1-Butanone, 2- (dimethylamino)-1-(4-(4- morpholinyl)phenyl)-2- (phenylmethyl)	119313- 12-1	Yes	Yes	Yes		Yes	Yes
		In	ventory (Con't				
Component			CA	S		TSCA	
Acrylic acid, propylenebis(oxypropylene) ester			42978-66-5		Yes		
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha"-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy)			52408-84-1 Yes				
1-hydroxycyclohexyl phenyl ketone			947-19-3 Yes				
Benzophenone			119-61-9 Yes				
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2- (phenylmethyl)			119313-12-1 Yes				

Australia

Labor

Australia - List of Designated Hazardous Substances - Classification			
•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	2% TO 3%	Xi, N R36/37/38, R43, R51, R53
 1-hydroxycyclohexyl phenyl ketone 	947-19-3	1% TO 2%	Not Listed
•Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriyltris(omega- ((1-oxo-2-propenyl)oxy)	52408-84-1	2% TO 3%	Not Listed
•Benzophenone	119-61-9	1% TO 2%	Not Listed
 Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) 	119313-12-1	< 1%	N R50, R53
Canada			

Canada

Labor

Canada - WHMIS - Classifications of Substances

 Acrylic acid, propylenebis(oxypropylene) ester 1-hydroxycyclohexyl phenyl ketone 	42978-66 947-19-3		2% TO 3 1% TO 2						
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy) 	52408-84	-1 2	2% TO 3	% No	t Listed				
•Benzophenone	119-61-9	1	1% TO 2	% Un	controll	ed proc	duct ac	cordin	g to
 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2- (phenylmethyl) 	119313-1				t Listed			nona	
Denmark									
Environment									
Denmark - Advisory List for Self-Classification of Dangerous Subs	tances								Not
 Acrylic acid, propylenebis(oxypropylene) ester 						8-66-5			
 1-hydroxycyclohexyl phenyl ketone Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriy propenyl)oxy) 	vltris(omega	a-((1-c)xo-2-		947-1 52408	9-3 8-84-1			R52/53 Not Listed
•Benzophenone					119-6	61-9	1%	TO 2%	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm	nethyl)				1193	13-12-1			Not Listed
Europe									2.0100
Other									
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification						Xi	: R36/:	37/38 F	₹43 N [.]
 Acrylic acid, propylenebis(oxypropylene) ester 			42978-6		2% TO			-	,
 1-hydroxycyclohexyl phenyl ketone Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriy 	/ltris(omega	a-((1-	947-19-3		1% TO				
oxo-2-propenyl)oxy)	ι ο		52408-8		2% TO				
 Benzophenone 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits 	nethyl)		119-61-9 119313-		1% TO < 1%		ot Liste ; R50 F		
 Acrylic acid, propylenebis(oxypropylene) ester 			429	78-66	5 29	6 TO 3	% 10% 836	6<=C:2	Xi;
•1-hydroxycyclohexyl phenyl ketone				'-19-3	1%	% TO 2	% Not	Listed	
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriy 2-propenyl)oxy) 	/ltris(omega	a-((1-c	^{0XO-} 524	08-84	-1 2%	% TO 3	% Not	Listed	
•Benzophenone	a a thu d)-61-9		6 TO 2			
 •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling 					2-1 <			Listed	
 Acrylic acid, propylenebis(oxypropylene) ester 		42978	8-66-5	2% T	O 3% کې	(i N R:3 S:(2)-24	36/37/3 I-37-61	38-43-5 I	51/53
•1-hydroxycyclohexyl phenyl ketone		947-1			O 2% N				
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy) 		52408	3-84-1	2% T	O 3% N	Not List	ed		
 Benzophenone 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm 		119-6 1193	1-9 13-12-1		O 2% N	Not List		0-61	
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases	lotityty	1100	10 12 1	< 170					
 Acrylic acid, propylenebis(oxypropylene) ester 				4	2978-6	6-5 2%	% то :	3% S:(61	2)-24-37-
 1-hydroxycyclohexyl phenyl ketone Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriy 	ltric (omogo) ((1 c		9	47-19-3	3 19	% то 2	2% No	t Listed
propenyl)oxy)	nins(omega	a-((1-C	120-2-		2408-84				t Listed
 Benzophenone 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm EU - Endocrine Disrupters (COM (2001)262) - Candidate List of Sub 					19-61-9 19313-				t Listed 60-61
•Acrylic acid, propylenebis(oxypropylene) ester •1-hydroxycyclohexyl phenyl ketone	Jotanoco			42978 947-1	8-66-5 9-3			Not Lis Not Lis	
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriy propenyl)oxy) 	ltris(omega	a-((1-c	хо-2-	52408	8-84-1	2% T	O 3%	Not Lis	sted
•Benzophenone				119-6	61-9	1% T	O 2%	Group Chemi	lli cal
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylm		1.01			13-12-1	< 1%		Not Lis	
EU - Existing Substance Regulation (793/93/EEC) - Evaluation of Ex •Acrylic acid, propylenebis(oxypropylene) ester	cisting HP	/ Che	micals (REPE) 8-66-5	2%	TO 3%	1
•1-hydroxycyclohexyl phenyl ketone					947-1			TO 2%	
			UDC-AC	CE Sa	fety Da	ata Sh	eet	Pag	e 12 of 1 !

UDC-ACE Safety Data Sheet Page 12 of 15

•Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-pi	ropanetriyltris(omega-((1-ox	0-2-	52408-84-1	2% TO 3%	Listed
propenyl)oxy) •Benzophenone				119-61-9	1% TO 2%	Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2	-(nhenylmethy	I)		119313-12-1		Not
EU - No-Longer Polymers List (67/548/EEC)		1)		119313-12-1	< 170	Listed
 Acrylic acid, propylenebis(oxypropylene) ester 1-hydroxycyclohexyl phenyl ketone 		42978-66-5 947-19-3	2% TO 3% 1% TO 2%	Not Listed		
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy) 		52408-84-1	2% TO 3%	NLP No. 500- propoxylated u	114-5 (>1<6 units)	3.5 mol
•Benzophenone		119-61-9	1% TO 2%		unito)	
 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2 (phenylmethyl) 	-	119313-12-1	< 1%	Not Listed		
Germany						
Environment Germany - Water Classification (VwVwS) - Annex 2 - Wate	r Hazard Clas	ses				
 Acrylic acid, propylenebis(oxypropylene) ester 		42978-66	-5 2% TO 3	3% Number 18 hazard to w	68, hazard / /aters	class 2 -
 1-hydroxycyclohexyl phenyl ketone 		947-19-3		2% Not Listed		
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy) 		52408-84	-1 2% TO 3	3% Not Listed		
•Benzophenone •1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2 Germany - Water Classification (VwVwS) - Annex 3	-(phenylmethy	119-61-9 l) 119313-1	1% TO 2 2-1 < 1%	2% Not Listed Not Listed		
•Acrylic acid, propylenebis(oxypropylene) ester		42978-66-5	2% TO 3%	Not Listed		
 1-hydroxycyclohexyl phenyl ketone 		947-19-3	1% TO 2%	ID Number 21 hazardous to	24, not con water	sidered
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy) 		52408-84-1	2% TO 3%	Not Listed		
•Benzophenone		119-61-9	1% TO 2%	ID Number 20 hazard to wate	24, hazard	class 2 -
 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2 (phenylmethyl) 	-	119313-12-		ID Number 21 hazard to wate	02, hazard	
Japan						
Environment Japan - Pollutant Release Transfer Register (PRTR) - Clas	s 1 Substanc	es				
 Acrylic acid, propylenebis(oxypropylene) ester 				42978-66-5	2% TO 3%	Not Listed
 1-hydroxycyclohexyl phenyl ketone 				947-19-3	1% TO 2%	Not Listed
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-pi propenyl)oxy) 	ropanetriyltris(omega-((1-ox	0-2-	52408-84-1	2% TO 3%	Not Listed
•Benzophenone				119-61-9	1% TO 2%	
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2		I)		119313-12-1	< 1%	Not Listed
Inventory - Japan - Industrial Safety and Health Law Subst •Acrylic acid, propylenebis(oxypropylene) ester	ances (ISHL)			42978-66-5	2% TO 3%	0-768
•1-hydroxycyclohexyl phenyl ketone				947-19-3		5 7-(4)-697
 Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-pi propenyl)oxy) 	ropanetriyltris(omega-((1-ox	0-2-	52408-84-1	2% TO 3%	Not Listed
•Benzophenone				119-61-9	1% TO 2%	Not Listed
 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2 	-(phenylmethy	I)		119313-12-1	< 1%	8-(7)-927
Other Japan - Examined Existing Chemical Substances •Acrylic acid, propylenebis(oxypropylene) ester •1-hydroxycyclohexyl phenyl ketone •Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3- propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	42978-66-5 947-19-3 52408-84-1	2% TO 3% I 1% TO 2% I 2% TO 3% I	Not Listed			
•Benzophenone	119-61-9	1% TO 2%	_ow-decompo	osable (see als e/Low-concent	o 4-125); N	on-
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-	119313-12-1		vecomposabl	e/LOW-CONCENT	i ale (See al	50 4-123)
2-(phenylmethyl)	10010-12-1	\$ 170 1				

Korea

Labor

L	Korea - MOE - Harmful Substances			
	Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	2% TO 3%	Not Listed
	•1-hydroxycyclohexyl phenyl ketone	947-19-3	1% TO 2%	Not Listed
	•Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	2% TO 3%	Not Listed
	•Benzophenone	119-61-9	1% TO 2%	Not Listed
	 Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) Korea - ISHA - Name, Toxicity and Protective Measures of New Chemical Substances 	119313-12-1	< 1%	92-23
	•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	2% TO 3%	Not Listed
	•1-hydroxycyclohexyl phenyl ketone	947-19-3	1% TO 2%	Not Listed
	•Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriyltris(omega-((1-oxo-2- propenyl)oxy)	52408-84-1	2% TO 3%	Not Listed
	•Benzophenone	119-61-9		Not Listed
	 Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) 	119313-12-1		94-20
Ν	orway			
Ε	n vironment Norway - Observation List			
	 Acrylic acid, propylenebis(oxypropylene) ester 	42978-66-5	2% TO 3%	Net
	•1-hydroxycyclohexyl phenyl ketone	947-19-3		Not
	•Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	2% TO 3%	Not Listed
	•Benzophenone	119-61-9	1% TO 2%	Not Listed
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	< 1%	Not Listed

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

• California Proposition 65: This product contains or may contain a substance(s) known to the State of California to cause cancer and/or reproductive toxicity:

Formaldehyde	CAS No. 50-00-0	<0.001%
Benzophenone	CAS No. 119-61-9	1-2%
1,4-Dioxane	CAS No. 123-91-1	<0.0001%
Acetaldehyde	CAS No. 75-07-0	<0.003%

Section 16 - Other Information

Relevant Phrases (code & full text)

- H315 Causes skin irritation
 - H317 May cause an allergic skin reaction
 - H319 Causes serious eye irritation
 - H411 Toxic to aquatic life with long lasting effects
 - P261 Avoid breathing dust, fume, gas, mist, vapors and/or spray.
 - P264 Wash thoroughly after handling.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P273 Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

	 P321 - Specific treatment, see supplemental first aid information. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse. P391 - Collect spillage. P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
	 R36/37 - Irritating to eyes and respiratory system. R36/37/38 - Irritating to eyes, respiratory system and skin. R36/38 - Irritating to eyes and skin. R43 - May cause sensitization by skin contact. R50 - Very toxic to aquatic organisms. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	 R51 - Toxic to aquatic organisms. R53 - May cause long-term adverse effects in the aquatic environment. S24 - Avoid contact with skin. S37 - Wear suitable gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Classification method for mixtures	Calculation method.
Last Revision Date	• 15 August 2012
Preparation Date	• 28 August 2012
Other Information	• Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.
Disclaimer/Statement of Liability	• The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.