

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier	
Product Name	ImageMate DC 565
Product Description	Red or blue liquid
1.2 Relevant identified	uses of the substance or mixture and uses advised against
Relevant identified use(s)	Water-based emulsion
1.3 Details of the supp	lier of the safety data sheet
Manufacturer	IKONICS Corporation
	4832 Grand Ave. Duluth, MN 55807 United States www.ikonics.com sds@ikonics.com
Telephone (Genera	al) • (218) 628-2217
Telephone (Genera	al) • (800) 328-4261
1.4 Emergency telepho	one number
Chemtrec	• 1-800-424-9300
	• +1 703-527-3887

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP	 Skin Sensitization 1 - H317 Eye Irritation 2 - H319
	EUH208
DSD/DPD	 Irritant (Xi)
	Sensitizer
	R36, R43

2.2 Label Elements

CLP

WARNING



Hazard statements • H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information. P363 - Wash contaminated clothing before reuse.
- **Storage/Disposal** P501 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Diele where e	
RISK phrases •	R36 - Irritating to eyes.
	R43 - May cause sensitization by skin contact.
Safety phrases •	S24 - Avoid contact with skin.
	S37 - Wear suitable gloves.
	S45 - In case of accident or if you feel unwell, seek medical advice immediately (show
	the label where possible).
ner Hazards	

2.3 Other Hazards

CLP	 No data available
DSD/DPD	 No data available

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

- **UN GHS**
- Skin Sensitization 1 H317
 Eye Irritation 2 H319

2.2 Label elements

UN GHS

WARNING



Hazard statements	 H317 - May cause an allergic skin reaction
	H319 - Causes serious eye irritation
Precautionary	
statements	

atemento	
Prevention •	 P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information.

	P363 - Wash contaminated clothing before reuse.
Storage/Disposal	 P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3 Other hazards	
UN GHS	No data available
United States (US) According to OSHA 29 C	FR 1910.1200 HCS
2.1 Classification of	the substance or mixture
OSHA HCS 2012	 Skin Sensitization 1 - H317 Eye Irritation 2 - H319
2.2 Label elements	
OSHA HCS 2012	
	WARNING
Hazard statements	 May cause an allergic skin reaction - H317
	Causes serious eye irritation - H319
Precautionary statements	
Prevention	Avoid breathing dust, fume, gas, mist, vapors and/or spray P261
	Wash thoroughly after handling P264 Contaminated work clothing should not be allowed out of the workplace P272 Wear protective gloves/protective clothing/eye protection/face protection P280
Response	 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 If eye irritation persists: Get medical advice/attention P337+P313 IF ON SKIN: Wash with plenty of soap and water P302+P352 If skin irritation or rash occurs: Get medical advice/attention P333+P313 Specific treatment, see supplemental first aid information P321 Wash contaminated clothing before reuse P363
Storage/Disposal	 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations P501

2.3 Other hazards


• No data available

Canada

According to WHMIS

 2.1 Classification of the substance or mixture WHMIS • Other Toxic Effects - D2B 2.2 Label elements 		
WHMIS	\sim	
	$(\underline{\mathbf{T}})$	
	Other Toxic Effects - D2B	
2.3 Other hazards		
WHMIS	 No data available 	

2.4 Other information



Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Ethoxylated pentaerythritol tetraacrylate	CAS: 51728- 26-8	8% TO 8.5%		WHMIS: UN GHS: Eye Irrit. 2 EU DSD/DPD: EU CLP: OSHA HCS 2012:	
2-Propenoic acid, 2- (hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3- propanediyl ester	CAS:3524-68- 3 EC Number:222- 540-8 EINECS:222- 540-8	0.6% TO 0.7%	Ingestion/Oral-Rat LD50 • 1830 mg/kg Skin-Rabbit LD50 • 4 mL/kg	WHMIS: UN GHS: Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: Annex VI: Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1; H319; H315; H317 OSHA HCS 2012:	
Pentaerythritol Tetraacrylate	CAS: 4986-89- 4 EC Number: 225- 644-1 EINECS: 225- 644-1	0.6% TO 0.7%		WHMIS: UN GHS: Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: Annex VI: Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1; H319; H315; H317 OSHA HCS 2012:	
Ethoxylated tetramethyldecynediol	CAS: 9014-85- 1	< 0.8%		WHMIS: UN GHS: Eye Dam. 1; Skin Irrit. 2 EU DSD/DPD: EU CLP: OSHA HCS 2012:	

Key to abbreviations

= See Section 16 for full text of R phrases

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.

- Skin

 IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 Ingestion

 If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse
 - mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media	 SMALL FIRES: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam.
Unsuitable Extinguishing Media	No data available
Firefighting Procedures	 LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep unauthorized personnel away. Ventilate closed spaces before entering.
5.2 Special hazards	arising from the substance or mixture
Unusual Fire and Explosion Hazards	 Some of these materials may burn, but none ignite readily.
Hazardous Combustion Products	 Products of combustion include: carbon oxides (COx).
5.3 Advice for firefig	hters
	 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Wear chemical protective clothing that is specifically recommended by the manufacturer.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions	 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas. 		
Emergency Procedures	 No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures. 		
6.2 Environmental precautions			
	No data available		
6.3 Methods and material for containment and cleaning up			
Containment/Clean-up	 Use appropriate Personal Protective Equipment (PPE) 		

Measures Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

• Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

• Keep container closed when not in use. Store away from extreme heat. Do not freeze.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Control Notations

Germany DFG •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester (3524-68-3): Sensitizers: (skin sensitizer)

8.2 Exposure controls

Engineering Measures/Controls

• Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment Pictograms

🕊 🕫 🔺

- Respiratory
- Eye/Face
- Hands
- Skin/Body
- General Industrial Hygiene Considerations Environmental Exposure Controls
- In case of insufficient ventilation, wear suitable respiratory equipment.
- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear protective gloves rubber or neoprene.
- Wear protective clothing apron or other impervious body coverings.
- Handle in accordance with good industrial hygiene and safety practice.
- No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description

Material Decemption			
Physical Form	Liquid	Appearance/Description	Viscous liquid
Color	Red or blue	Odor	Slight acrylic odor
Physical and Chemical Properties	Not relevant		
General Properties			
Boiling Point	100 C(212 F)	Melting Point	Not relevant
Decomposition Temperature	Not relevant	pН	4 to 5
Specific Gravity/Relative Density	1.08 Water=1	Density	8.82 lbs/gal
Water Solubility	Miscible	Solvent Solubility	Not relevant
Viscosity	No data available	Explosive Properties	Not relevant
Oxidizing Properties:	Not relevant		
Volatility			
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Evaporation Rate	< 1 n-Butyl Acetate = 1	VOC (Wt.)	< 0.5 %
Volatiles (Wt.)	50 to 55 %		
Flammability	•		

Flash Point	> 200 F(> 93.3333 C)	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Bioaccumulation Factor	No data available	Bioconcentration Factor	No data available
Biochemical Oxygen Demand BOD/BOD5	No data available	Chemical Oxygen Demand	No data available
Persistence	No data available	Degradation	No data available

9.2 Other Information

• Polymerizes to solid/semisolid form upon exposure to UV radiation.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• UV reactive.

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Avoid freezing. Excess heat.

10.5 Incompatible materials

• No data available

10.6 Hazardous decomposition products

• No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data	
2-Propenoic acid, 2-(hydroxymethyl)-2- (((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester (0.6% TO 0.7%)	3524-68-3	Acute Toxicity: orl-rat LD50:1830 mg/kg; skn-rbt LD50:4 mL Irritation: eye-rbt 1 mg SEV; skn-rbt 500 mg open MLD	
GHS Properties	Classification		
Acute toxicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Aspiration Hazard	EU/CLP• OSHA HCS 2012• UN GHS•		
Carcinogenicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Germ Cell Mutagenicity	EU/CLP• OSHA HCS 2012• UN GHS•		
Skin corrosion/Irritation	EU/CLP• OSHA HCS 2012• UN GHS•		
Skin sensitization	EU/CLP•Skin Sensi	tizer 1	

	OSHA HCS 2012•Skin Sensitizer 1 UN GHS•Skin Sensitizer 1
STOT-RE	EU/CLP• OSHA HCS 2012• UN GHS•
STOT-SE	EU/CLP• OSHA HCS 2012• UN GHS•
Toxicity for Reproduction	EU/CLP• OSHA HCS 2012• UN GHS•
Respiratory sensitization	EU/CLP• OSHA HCS 2012• UN GHS•
Serious eye damage/Irritation	EU/CLP•Eye Irritation 2 OSHA HCS 2012•Eye Irritation 2 UN GHS•Eye Irritation 2A

Route(s) of entry/exposure • Skin, Eye **Potential Health Effects** Inhalation Acute (Immediate) • May cause irritation. **Chronic (Delayed)** • Repeated and prolonged exposure may cause irritation. Skin Acute (Immediate) • May cause mild irritation. May cause an allergic skin reaction. **Chronic (Delayed)** • Repeated and prolonged exposure may cause sensitization. Eye Acute (Immediate) • Causes eye irritation. **Chronic (Delayed)** • Repeated and prolonged exposure may be harmful. Ingestion Acute (Immediate) • May cause irritation. **Chronic (Delayed)** • No specific information available.

Section 12 - Ecological Information

12.1 Toxicity	
•	No data available
12.2 Persistence and degrad	dability
•	No data available
12.3 Bioaccumulative poten	tial
•	No data available
12.4 Mobility in Soil	
•	No data available
12.5 Results of PBT and vPv	/B assessment
•	No data available
12.6 Other adverse effects	
• Potential Environmental	May cause long lasting harmful effects to aquatic life.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

• Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

14.8 Other information

None specified.

• Not relevant.

DOT • Not regulated.

- IMO/IMDG Not regulated.
- IATA/ICAO Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

Inventory							
Component	CAS	Australia AICS	Canada DSL	Canada NDSL	China	EU EINECS	
Ethoxylated pentaerythritol tetraacrylate	51728-26- 8	Yes	No	Yes	Yes	No	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	Yes	Yes	No	Yes	Yes	
Pentaerythritol Tetraacrylate	4986-89-4	Yes	Yes	No	Yes	Yes	
Ethoxylated tetramethyldecynediol	9014-85-1	Yes	Yes	No	Yes	No	
			Inventory (Con	't.)			
Component	CAS	Japan ENCS	Korea KECL	New Zealand	Philippines PICCS	TSCA	
Ethoxylated pentaerythritol tetraacrylate	51728-26- 8	Yes	Yes	Yes	No	Yes	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)-	3524-68-3	Yes	Yes	Yes	Yes	Yes	

1,3-propanediyl ester						
Pentaerythritol Tetraacrylate	4986-89-4	Yes	Yes	Yes	Yes	Yes
Ethoxylated tetramethyldecynediol	9014-85-1	Yes	Yes	Yes	Yes	Yes

Australia

Labor

Labor Australia - List of Designated Hazardous Substances - Classification •Ethoxylated tetramethyldecynediol •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl e •Pentaerythritol Tetraacrylate •Ethoxylated pentaerythritol tetraacrylate	4986-89-4 0	
Europe		
Other		
 EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification Ethoxylated tetramethyldecynediol 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl e Pentaerythritol Tetraacrylate Ethoxylated pentaerythritol tetraacrylate EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling 	4986-89-4 0	
	14-85-1 < 0.8%	Not Listed
propanediyi ester		O 0.7% Xi R:36/38-43 S:(2)-39
Pentaerythritol Tetraacrylate 49	86-89-4 0.6% TC	O 0.7% Xi R:36/38-43 S:(2)-26- 39
	728-26-8 8% TO 8 9014-85-1 <	8.5% Not Listed
 •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl e •Pentaerythritol Tetraacrylate •Ethoxylated pentaerythritol tetraacrylate 	4986-89-4 0	.6% TO 0.7% D .6% TO 0.7% D % TO 8.5% Not Listed
 EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases Ethoxylated tetramethyldecynediol 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl e Pentaerythritol Tetraacrylate Ethoxylated pentaerythritol tetraacrylate EU - No-Longer Polymers List (67/548/EEC) 	4986-89-4 0 51728-26-8 8	.6% TO 0.7% S:(2)-39 .6% TO 0.7% S:(2)-26-39 % TO 8.5% Not Listed
•Ethoxylated tetramethyldecynediol 9014-85-1 < 0.8		o. 500-022-5 (>1<4.5 mol ated units)
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 0.6%	5 TO 0.7% Not List	,
Pentaerythritol Tetraacrylate 4986-89-4 0.6%	5 TO 0.7% Not List	ted
•Ethoxylated pentaerythritol tetraacrylate 51728-26-8 8%		o. 500-111-9 (>1<8.5 mol ated units)
Germany		

Environment

Germany - Water Classification (VwVwS) - Annex 3

Germany - Water Classification (WWWS) - Annex 5			
•Ethoxylated tetramethyldecynediol	9014-85-1	< 0.8%	ID Number 2805, hazard class 2 - hazard to waters
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	0.6% TO 0.7%	Not Listed
Pentaerythritol Tetraacrylate	4986-89-4	0.6% TO 0.7%	Not Listed
 Ethoxylated pentaerythritol tetraacrylate 	51728-26-8	8% TO 8.5%	Not Listed

Japan

Other

Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances						
 Ethoxylated tetramethyldecynediol 	9014-85-1	< 0.8%	Not Listed			
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester	3524-68-3	0.6% TO 0.7%	Non-decomposable/Low- concentrate			
Pentaerythritol Tetraacrylate	4986-89-4	0.6% TO 0.7%	Not Listed			

•Ethoxylated tetramethyldecynedial 9014-85-1 < 0.8% Not Listed	•Ethoxylated pentaerythritol tetraacrylate Japan - Fire Service Law - Hazardous Materials	51728-26-8 8% TO 8.5% Not Listed
	•Ethoxylated tetramethyldecynediol	9014-85-1 < 0.8% Not Listed
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3-propanediyl ester 3524-68-3 0.6% TO 0.7% Group 4 - Flammable liquids III (listed under 3rd Class petroleums - insoluble)		3524-68-3 0.6% TO 0.7% Group 4 - Flammable liquids III (listed under 3rd Class petroleums - insoluble)
Pentaerythritol Tetraacrylate 4986-89-4 0.6% TO 0.7% Not Listed	 Pentaerythritol Tetraacrylate 	4986-89-4 0.6% TO 0.7% Not Listed
•Ethoxylated pentaerythritol tetraacrylate 51728-26-8 8% TO 8.5% Not Listed	 Ethoxylated pentaerythritol tetraacrylate 	51728-26-8 8% TO 8.5% Not Listed

Korea

Labor

Korea - ISHA - Name, Toxicity and Protective Measures of New Chemical Substances			
 Ethoxylated tetramethyldecynediol 	9014-85-1	< 0.8%	Not Listed
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester	3524-68-3	0.6% TO 0.7%	Not Listed
Pentaerythritol Tetraacrylate	4986-89-4	0.6% TO 0.7%	Not Listed
•Ethoxylated pentaerythritol tetraacrylate	51728-26-8	8% TO 8.5%	

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

California Proposition 65: This product contains or may contain a substance(s) known to the State of California to cause cancer and/or reproductive toxicity: Formaldehyde CAS #50-00-0 <0.001%

Section 16 - Other Information

Relevant Phrases (code & full text)

	 H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment, see supplemental first aid information. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
	 R36 - Irritating to eyes. R36/38 - Irritating to eyes and skin. R43 - May cause sensitization by skin contact. S24 - Avoid contact with skin. S37 - Wear suitable gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Classification method for mixtures	Calculation method.
Last Revision Date	• 29 January 2013
Preparation Date	• 02 October 2013
Other Information	• Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.
Disclaimer/Statement of Liability	• The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made

that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.